

# DS9208-WINPOS-8: Programming Barcodes for DS9208

Configuration name in Utility : DS9208-WINPOS-8  
Last Modified : 31-Aug-16  
Windows Filename : Config File\_DS9208\_DS9208-WINPOS-8\_2016.08.31.scncfg  
Plug-in Name : DS9208-COMMON SR MODELS-022  
Report Type : Only parameters changed from defaults shown



# DS9208-WINPOS-8: Programming Barcodes for DS9208



Configuration name in Utility : DS9208-WINPOS-8  
Last Modified : 31-Aug-16  
Windows Filename : Config File\_DS9208\_DS9208-WINPOS-8\_2016.08.31.scncfg  
Plug-in Name : DS9208-COMMON SR MODELS-022  
Report Type : Only parameters changed from defaults shown

---

Set Factory Defaults

## Cable Connection Settings

---

### USB

USB Device Type	IBM Handheld USB
Ignore Unknown Characters	Do Not Send Barcodes with Unknown Characters
USB Ignore Beep Directives	Ignore Beep Directive
USB Ignore Type Directives	Ignore Type Directive

## Symbology (bar code type) Settings

---

### UPC EAN

Decode UPC/EAN/JAN Supplementals	Autodiscriminate
Transmit UPC-E1 Check Digit	Disable
Convert UPC-E to UPC-A	Enable
Convert UPC-E1 to UPC-A	Enable
UPC Reduced Quiet Zone	Enable
EAN-8/JAN-8 Extend	Enable
Bookland ISBN Format	ISBN-13

## Modify Data - Advanced Data Formatting

---

Suffix 1 : Enter

# DS9208-WINPOS-8: Programming Barcodes for DS9208

Configuration name in Utility : DS9208-WINPOS-8  
Last Modified : 31-Aug-16  
Windows Filename : Config File\_DS9208\_DS9208-WINPOS-8\_2016.08.31.scncfg  
Plug-in Name : DS9208-COMMON SR MODELS-022  
Report Type : Only parameters changed from defaults shown



---

7  
0  
1  
3  
Scan Data Transmission Format <Data><Suffix 1>

## General Parameter Settings

---

### Beeper

Beeper Volume	Medium
Beeper Tone	Medium to High (2-tone)
Beeper Duration	Short
Configuration File	DS9208-WINPOS-8

### Firmware:

CAAASS00-006-R01

### Supported Scanner Models for Plug-in :

DS9208-SR00004CNWW  
DS9208-SR00004NNWW  
DS9208-SR00004NNY  
DS9208-SR0000WCNWW  
DS9208-SR0000WNNWW  
DS9208-SR4NNU21ZY